





# Universal Product Cross-Reference

This chart is a quick, easy way to replace your current chains and sprockets with high-quality, reliable products from Tsubaki. The list is sorted by chain number, and you'll find the corresponding Tsubaki number listed for each.

The chart was compiled with great care and with the latest information available at the time of printing. Because of the possibility of errors in competitors' publications or changes in product specifications, Tsubaki does not assume responsibility for the accuracy of competitors' information. Please check the chain or sprocket specifications on the corresponding page numbers carefully before ordering.

## Chain Interchangeability Guidelines

There are several degrees of interchangeability for chain replacement between manufacturers' chains.

### 1. Intercoupling of Chains

The pin of one chain can be put through the bushing of another. However, the pin and outside sidebars must be produced by the same manufacturer. When connected, the two chains form one strand.

### 2. Interchanging of Parts

Because each manufacturer has different part designs and tolerances, interchanging parts is not suggested. Due to the differences in tolerances, we suggest you use Tsubaki replacement parts for Tsubaki chains.

### 3. Running on the Same Sprocket

Many replacement chains will run on the same sprockets even though they are not the same chains. The following dimensions must be equivalent in the original and replacement chains to run on the same sprocket.

- Pitch
- Roller, barrel, or bushing diameter  
(depending on chain type)
- Inside width

If you have any questions about using the Universal Product Cross-Reference or interchangeability in general, contact Tsubaki Technical Support. We can help you select the right replacement chain or sprocket for your application.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
JB-2	2.000	D	US-2	C-105	-	-
US-2	2.000	D	US-2	C-105	-	-
3DD	3.075	D	US-3075	C-5	US-3075	E-153
API-3	3.075	D	US-3075	C-5	US-3075	E-153
CHAMP3	3.075	D	US-3075	C-5	US-3075	E-153
4	4.000	RC	94R	C-20	94R	E-162
HP-4	4.063	D	US-1242	C-5	US-1242	E-155
RO-4	4.063	D	US-1242	C-5	US-1242	E-155
SS-4	4.000	RC	94R	C-20	94R	E-162
CC5	6.000	RC	CC5	C-21	CC5	E-167
6	6.000	RC	614R	C-21	CC5	E-167
6-SP	6.000	RC	631 R	C-21	626R	E-168
SS-6	6.000	RC	614R	C-21	CC5	E-167
SS-6SP	6.000	RC	631R	C-21	626R	E-168
S-17	2.563	D	520RX	C-5	-	-
RO-25H	2.500	D	RO-25H	C-5	-	-
SS-39	3.075	RC	119R	C-20	119RX	E-162
RO-40	3.075	D	US-1030	C-5	US-3075	E-153
RO-40HYPER	3.075	D	US-3075	C-5	US-3075	E-153
SS-40	3.075	D	US-1030	C-5	US-3075	E-153
SS-40HYPER	3.075	D	US-3075	C-5	US-3075	E-153
SS-40P	3.075	D	US-1031	C-5	US-3075	E-153
XXS-40	3.075	D	US-1031	C-5	US-3075	E-153
R-51A	2.500	D	US-2570	**	US-3075	E-153
53R	3.000	RC	53R	C-20	53R	E-161
C-55	1.631	C	C-55	**	-	-
EC-62	1.654	RC	162R	**	378RX	E-159
SS-62P	1.654	D	US-622	**	378RX	E-159
US-64S	2.500	D	US-64S	C-5	US-64S	E-151
US-64SH	2.500	D	US-64SH	C-105	US-64S	E-151
EPC-78	2.609	Plastic	EPC-78	C-115	-	-
W-78	2.609	WS	W-78	-	WH-78	E-184
W-78S	4.125	WS	WH-78S	-	-	-
WH-78	2.609	WS	WH-78	-	WH-78	E-184
WR-78	2.609	WS	W-78	-	WH-78	E-184
WR78-4	4.000	WS	-	-	WR78-4	E-186
WS-78	2.609	WS	W-78	-	WH-78	E-184
WS-78P	2.609	WS	WH-78	-	WH-78	E-184
81C	2.609	RC	81X	C-20	81X	E-160
81X	2.609	RC	81X	C-20	81X	E-160
82R	4.000	RC	82R	**	US-90R	E-164
SS-82	6.000	RC	614R	C-21	CC5	E-167
W-82	3.075	WS	W-82	-	WH-82	E-185
W-82H	3.075	WS	W-82H	-	WH-82	E-185
WH-82	3.075	WS	WH-82	-	WH-82	E-185
WH-82H	3.075	WS	WH-82H	-	WH-82	E-185
WR-82	3.075	WS	W-82	-	WH-82	E-185
WR-82XHD	3.075	WS	-	-	WR-82XHD	E-185
WS-82	3.075	WS	W-82	-	WH-82	E-185
WS-82P	3.075	WS	WH-82	-	WH-82	E-185
83R	4.000	RC	83R	C-20	US-90R	E-164
84R	4.000	RC	84R	C-20	84R	E-164
85R	4.000	RC	85R	-	-	-
86R	6.000	RC	86R	C-20	627R	E-165
87R	2.609	RC	87R	C-20	87R	E-161
SS-87	2.609	RC	87R	C-20	87R	E-161
SS-88P	2.609	D	US-881	**	US-882	E-152
89R	4.000	RC	89R	C-20	89R	E-164
US-90R	4.000	RC	US-90R	C-20	US-90R	E-164
91 R	4.000	RC	91R	C-20	91R	E-163

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
93R	3.000	RC	93R	C-20	93R	E-161
94R	4.000	RC	94R	C-20	94R	E-162
95R	4.000	RC	95R	C-20	95R	E-163
96R	6.000	RC	96R	C-21	610R	E-167
96RX	6.000	RC	96RX	C-21	610R	E-167
SS-96	6.000	RC	96R	C-21	610R	E-167
97R	4.000	RC	97R	C-20	97R	E-163
102B	4.000	SB	102B	C-55	102B	E-181
H-102	5.000	WS	WD-102	-	-	-
A-102B	4.000	C	C-102B	-	102B	E-181
C-102B	4.000	C	C-102B	-	102B	E-181
HSB-102B	4.000	SB	102B	C-55	102B	E-181
N-102B	4.000	C	C-102B	-	102B	E-181
S-102B	4.000	SB	102B	C-55	102B	E-181
SBS-102B	4.000	SB	102B	C-55	102B	E-181
SS-102B	4.000	SB	102B	C-55	102B	E-181
WD-102	5.000	WS	WD-102	-	-	-
WDH-102	5.000	WS	WDH-102	-	-	-
WSD-102	5.000	WS	WD-102	-	-	-
WSD-102P	5.000	WS	WDH-102	-	-	-
102 1/2	4.040	SB	102 1/2	C-55	102 1/2	E-181
HSB-102 1/2	4.040	SB	102 1/2	C-55	102 1/2	E-181
S-102 1/2	4.040	SB	102 1/2	C-55	102 1/2	E-181
SBS-102 1/2	4.040	SB	102 1/2	C-55	102 1/2	E-181
103RC	3.075	D	US-1032	**	US-3075	E-153
H-104	6.000	WS	WD-104	-	-	-
WD-104	6.000	WS	WD-104	-	-	-
WDH-104	6.000	WS	WDH-104	-	-	-
WSD-104	6.000	WS	WD-104	-	-	-
WSD-104P	6.000	WS	WDH-104	-	-	-
H-106	6.000	WS	W-106	-	WH-106	E-189
W-106	6.000	WS	W-106	-	WH-106	E-189
WH-106	6.000	WS	WH-106	-	WH-106	E-189
WR-106	6.000	WS	W-106	-	WH-106	E-189
WR-106XHD	6.050	WS	-	-	WR-106XHD	E-190
110	6.000	SB	110	C-55	110	E-182
C-110	6.000	C	C-110	-	110	E-182
C-110M	6.000	C	C-110	-	110	E-182
HSB-110	6.000	SB	110	C-55	110	E-182
S-110	6.000	SB	110	C-55	110	E-182
SBS-110	6.000	SB	110	C-55	110	E-182
WD-110	6.000	WS	WD-110	-	-	-
WDH-110	6.000	WS	WDH-110	-	-	-
WSD-110	6.000	WS	WD-110	-	-	-
WSD-110P	6.000	WS	WDH-110	-	-	-
111	4.760	SB	111	C55	111	E-182
111SP	4.76X7.24	SB	111SP	C-55	-	-
A-111	4.760	C	C-111	-	111	E-182
C-111	4.760	C	C-111	-	111	E-182
C-111M	4.760	C	C-111	-	111	E-182
HSB-111	4.760	SB	111	C-55	111	E-182
HSB-111SP	4.76X724	SB	111SP	C-55	-	-
N-111	4.760	C	C-111	-	111	E-182
S-111	4.760	SB	111	C-55	111	E-182
S-111SP	4.76X724	SB	111SP	C-55	-	-
SBS-111	4.760	SB	111	C-55	111	E-182
SBS-111SP	4.76X7.24	SB	111SP	C-55	-	-
SS-111	4.760	SB	111	C-55	111	E-182
SS-111SP	4.76X724	SB	111SP	C-55	-	-

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
W-111	4.760	WS	W-111	-	WH-111	E-188
WH-111	4.760	WS	WH-111	-	WH-111	E-188
WR-111	4.760	WS	-	-	WH-111	E-188
H-112	8.000	WS	WD-112	-	-	-
WD-112	8.000	WS	WD-112	-	-	-
WDH-112	8.000	WS	WDH-112	-	-	-
WSD-112	8.000	WS	WD-112	-	-	-
WSD-112P	8.000	WS	WDH-112	-	-	-
H-113	6.000	WS	WD-113	-	-	-
WD-113	6.000	WS	WD-113	-	-	-
WDH-113	6.000	WS	WDH-113	-	-	-
H-116	8.000	WS	WD-116	-	-	-
WD-116	8.000	WS	WD-116	-	-	-
WDH-116	8.000	WS	WDH-116	-	-	-
WSD-116	8.000	WS	WD-116	-	-	-
WSD-116P	8.000	WS	WDH-116	-	-	-
119R	3.075	RC	119R	C-20	119RX	E-162
119RX	3.075	RC	119RX	C-20	119RX	E-162
WSD-120	6.000	WS	WD-120	**	-	-
WSD-120P	6.000	WS	WDH-120	**	-	-
H-122	8.000	WS	WD-122	**	-	-
WD-122	8.000	WS	WD-122	**	-	-
WDH-122	8.000	WS	WDH-122	**	-	-
WSD-122	8.000	WS	WD-122	**	-	-
WSD-122P	8.000	WS	WDH-122	**	-	-
H-124	4.000	WS	W-124	-	WH-124	E-186
H-124HD	4.063	WS	W-124H	-	WH-124H	E-187
RO-124	4.063	D	US-1242	C-5	US-1242	E-155
SS-124	4.063	D	US-1242	C-5	US-1242	E-155
SS-124DP	4.063	D	US-1242	C-5	US-1242	E-155
W-124	4.000	WS	W-124	-	WH-124	E-186
W-124H	4.063	WS	W-124H	-	WH-124H	E-187
WH-124	4.000	WS	WH-124	-	WH-124	E-186
WH-124H	4.063	WS	W-124H	-	WH-124H	E-187
WH-124HD	4.063	WS	WH-124H	-	WH-124H	E-187
WR-124XHD	4.063	WS	-	-	WR-124XHD	E-187
WR-124	4.000	WS	W-124	-	WH-124	E-186
WR-124HD	4.063	WS	W-124H	-	WH-124H	E-187
WS-124	4.000	WS	W-124	-	WH-124	E-186
WS-124HD	4.063	WS	W-124H	-	WH-124H	E-187
WS124HDP	4.063	WS	WH-124H	-	WH-124H	E-187
WS-124P	4.000	WS	WH-124	-	WH-124	E-186
131	3.075	SB	131	C-55	131	E-180
C-131	3.075	C	C-131	-	131	E-180
HSB-131	3.075	SB	131	C-55	131	E-180
S-131	3.075	SB	131	C-55	131	E-180
SBS-131	3.075	SB	131	C-55	131	E-180
SS-131	3.075	SB	131	C-55	131	E-180
132	6.050	WS	-	-	WH-132	E-190
A-132	6.050	C	C-132	-	WH-132	E-190
C-132	6.050	C	C-132	-	WH-132	E-190
C-132M	6.050	C	C-132	-	WH-132	E-190
H-132	6.050	WS	W-132	-	WH-132	E-190
N-132	6.050	C	C-132	-	WH-132	E-190
W-132	6.050	WS	W-132	-	WH-132	E-190
WCH-132	6.050	WS	WCH-132	-	WH-132	E-190
WH-132	6.050	WS	WH-132	-	WH-132	E-190
WH-132SS	6.050	WS	WH-132SS	-	WH-132	E-190
WR-132	6.050	WS	W-132	-	WH-132	E-190
WRC-132	6.050	WS	-	-	WH-132	E-190
WR-132XHD	6.050	WS	-	-	WR-132XHD	E-191
WS-132	6.050	WS	-	-	WH-132	E-190
WS-132P	6.050	WS	WH-132	-	WH-132	E-190

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
134	6.000	SB	US-850	-	-	-
149	4.000	RC	89R	C-20	89R	E-164
MSR-149	4.000	RC	89R	C-20	89R	E-164
150X	6.050	SB	150X	C-55	150X	E-183
HSB-150PLUS	6.050	SB	150X	C-55	150X	E-183
SA-150	6.050	SB	150X	C-55	150X	E-183
SBS-150PLUS	6.050	SB	150X	C-55	150X	E-183
SS-150X	6.050	SB	150X	C-55	150X	E-183
SX-150	6.050	SB	150X	C-55	150X	E-183
W-150	6.050	WS	W-150	-	WH-132	E-190
WH-150	6.050	WS	WH-150	-	WH-132	E-190
WR-150	6.050	WS	-	-	WH-132	E-190
WS-150P	6.050	WS	WH-150	-	WH-132	E-190
W-155	6.050	WS	W-155	-	WH-155	E-191
WH-155	6.050	WS	WH-155	-	WH-155	E-191
160/348	2.000	D	160/348	C-68	-	-
160/458	2.000	D	160/458	C-68	-	-
160/678	2.000	D	160/678	C-68	-	-
162R	1.654	RC	162R	**	378RX	E-159
SS-162P	1.654	RC	378R	C-20	378RX	E-159
180	12.000	RC	B-1264R	C-21	B-1264R	E-175
SR-183	3.000	RC	53R	C-20	53R	E-161
188	2.609	SB	188	C-55	188	E-179
188Z	2.609	C	C-188	-	WH-78	E-184
C-188	2.609	C	C-188	-	WH-78	E-184
C-188M	2.609	C	C-188	-	WH-78	E-184
HSB-188	2.609	SB	188	C-55	188	E-179
S-188	2.609	SB	188	C-55	188	E-179
SBS-188	2.609	SB	188	C-55	188	E-179
SR-188	4.000	RC	1188R	C-20	91R	E-163
SS-188	2.609	SB	188	C-55	188	E-179
SR-194	4.000	RC	US-90R	C-20	US-90R	E-164
DS-196R	6.000	RC	DS-196R	C-94	627R	E-165
SR-196	6.000	RC	US-196R	C-20	627R	E-165
SRD-196	6.000	RC	DS-196R	C-94	627R	E-165
US-196R	6.000	RC	US-196R	C-20	627R	E-165
RF-205	3.075	RC	119R	C-20	119RX	E-162
234PB	3.510	D	351 RX	**	-	-
SS-234PLUS	3.510	D	351 RX	**	-	-
RX-238	3.500	D	US-3514	C-55	US-3514	E-154
276	12.000	RC	1276R	C-21	E-1263R	E-175
SS-276	12.000	RC	1276R	C-21	E-1263R	E-175
US-278R	2.609	RC	US-278R	C-20	87R	E-161
327R	2.980	RC	327R	**	-	-
344SXX	3.000	D	344SXX	C-5	344SXX	E-152
X-345	3.000	D	344SXX	C-5	344SXX	E-152
S-348	3.015	R	S-348	C-64	X-348	E-194
X-348	3.015	R	X-348	C-62	X-348	E-194
362	1.654	RC	US-620X	**	378RX	E-159
362R	1.654	RC	US-620X	**	378RX	E-159
A-362	1.654	RC	US-620X	**	378RX	E-159
B-362	1.654	RC	162R	**	378RX	E-159
R-362	1.654	RC	162R	**	378RX	E-159
RC-362	1.654	RC	162R	**	378RX	E-159
378R	1.654	RC	378R	C-20	378RX	E-159
378RX	1.654	RC	378RX	C-20	378RX	E-159
R-432	1.654	D	US-622	**	378RX	E-159
RR-432	1.654	RC	378R	C-20	378RX	E-159
SS-433	2.609	D	US-881	**	US-882	E-152

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
433 1/2	2.609	D	US-881	**	US-882	E-152
433 1/2P	2.609	D	US-882	**	US-882	E-152
R-434	1.654	D	US-622	**	378RX	E-159
450SXX	4.500	D	US-4522	C-5	US-4522	E-156
S-458	4.031	R	S-458	C-64	X-458	E-194
X-458	4.031	R	X-458	C-62	X-458	E-194
462R	1.654	RC	462R	**	378RX	E-159
462RX	1.654	D	US-622	**	378RX	E-159
468	4.031	R	468	C-62	-	-
H-480	8.000	WS	WD-480	-	-	-
WD-480	8.000	WS	WD-480	-	-	-
WDH-480	8.000	WS	WDH-480	-	-	-
WSD-480	8.000	WS	WD-480	-	-	-
WSD-480P	8.000	WS	WDH-480	-	-	-
R-506	2.300	D	US-770	**	-	-
R-514	2.500	D	US-2570	**	-	-
S-517	2.609	D	US-881	**	US-882	E-152
520P	2.563	D	520RX	C-5	-	-
520RX	2.563	D	520RX	C-5	-	-
A-520	2.563	D	520RX	C-5	-	-
RO-520	2.563	D	520RX	C-5	-	-
S-520	2.563	D	520RX	C-5	-	-
XS-520	2.563	D	520RX	C-5	-	-
A-522	2.640	D	1184RX	**	-	-
SS-522	2.640	D	1184RX	**	-	-
SS-522P	2.640	D	1184RX	**	-	-
527R	3.075	D	US-1031	C-5	US-3075	E-153
527RX	3.075	D	US-1031	C-5	US-3075	E-153
531	4.000	RC	89R	C-20	89R	E-164
S-531	4.000	RC	89R	C-20	89R	E-164
S-554	3.075	D	US-1030	C-5	US-3075	E-153
S-554PLUS	3.075	D	US-1031	C-5	US-3075	E-153
S-557	4.063	D	US-1242	C-5	US-1242	E-155
S-557PLUS	4.063	D	US-1242	C-5	US-1242	E-155
SS-568P	3.067	D	US-3011	C-5	US-3011	E-153
X-568	3.067	D	US-3011	C-5	US-3011	E-153
588RX	2.609	D	US-882	C-5	US-882	E-152
A-588	2.609	D	US-882	C-5	US-882	E-152
R-588	2.609	D	US-882	C-5	US-882	E-152
RO-588	2.609	D	US-882	C-5	US-882	E-152
RR-588	2.609	RC	87R	C-20	87R	E-161
602R	6.000	RC	602 R	**	-	-
603R	6.000	RC	603 R	C-20	603 R	E-166
604R	6.000	RC	604 R	C-20	627R	E-165
DS-604R	6.000	RC	604 R	C-20	627R	E-165
607 R	6.000	RC	607 R	C-20	CC5	E-167
610R	6.000	RC	610R	C-21	610R	E-167
SS-610	6.000	RC	610R	C-21	610R	E-167
614R	6.000	RC	614R	C-21	CC5	E-167
LXS-620	1.654	RC	162R	**	378RX	E-159
IS-622	1.654	D	US-622	**	378RX	E-159
LXS-622	1.654	D	US-622	**	378RX	E-159
RO-622	1.654	D	US-622	**	378RX	E-159
IS-624	1.654	RC	162R	**	378RX	E-159
625R	6.000	RC	625R	C-20	625R	E-167
LXS-625	1.654	RC	162R	**	378RX	E-159
626R	6.000	RC	626R	C-21	626R	E-168
627R	6.000	RC	627R	C-20	627R	E-165

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
LXS-627	1.654	RC	378R	C-20	378RX	E-159
RS-627	1.654	RC	378RX	C-20	378RX	E-159
RX-627	1.654	RC	378RX	C-20	378RX	E-159
628R	6.000	RC	628R	C-20	DS-6272	E-166
629R	6.000	RC	629R	C-20	629R	E-168
631	6.000	RC	631R	C-21	626R	E-168
631 R	6.000	RC	631R	C-21	626R	E-168
632R	6.000	RC	632R	**	-	-
633R	6.000	RC	633R	**	-	-
634R	6.000	RC	634R	**	627R	E-165
635A	4.500	D	US-4522	C-5	US-4522	E-156
B-635	4.500	D	US-4522	C-5	US-4522	E-156
RO-635	4.500	D	US-4522	C-5	US-4522	E-156
FXS-635	4.500	D	US-4522	C-5	US-4522	E-156
X-635	4.500	D	US-4522	C-5	US-4522	E-156
XXS-635	4.500	D	US-4522	C-5	US-4522	E-156
SS-658	6.000	RC	625R	C-20	625R	E-167
X-658	6.031	R	X-658	C-62	-	-
B-663R	6.000	RC	B-663R	C-21	629R	E-168
678	6.031	R	678	-	X-678	E-195
S-678	6.031	R	S-678	C-64	X-678	E-195
X-678	6.031	R	X-678	C-62	X-678	E-195
698	6.031	R	698	C-62	698	E-195
S-698	6.031	R	S-698	C-64	698	E-195
W-720S	6.000	WS	WH-720S	C-116	WH-720S	E-189
W-720SH	6.000	WS	WH-720SH	C-116	WH-720S	E-189
WH-720S	6.000	WS	WH-720S	C-116	WH-720S	E-189
WH-720SH	6.000	WS	WH-720SH	C-116	WH-720S	E-189
LXS-770	2.300	D	US-770	**	-	-
R-778	2.609	D	US-881	**	US-882	E-152
RR-778	2.609	RC	US-278R	C-20	87R	E-161
SS-793	6.000	RC	US-196R	C-20	627R	E-165
SS-796	6.000	RC	2178R	**	610R	E-167
800RX	8.000	RC	800RX	C-21	800RX	E-169
SS-800	8.000	RC	800RX	C-21	800RX	E-169
806 R	8.000	RC	806R	C-21	806R	E-168
809	9.000	RC	809R	**	-	-
809R	9.000	RC	809R	**	-	-
825	4.000	SB	825	**	-	-
S-825	4.000	SB	825	**	-	-
830	6.000	SB	830	**	-	-
S-830	6.000	SB	830	**	-	-
834R	8.000	RC	834R	**	-	-
F-840	18.000	RC	B-1864R	C-21	B-1864R	E-177
844	6.000	SB	844	**	-	-
844X	6.000	SB	844X	**	-	-
S-850	6.000	SB	US-850	**	-	-
SS-850	6.000	SB	US-850	**	-	-
US-850	6.000	SB	US-850	**	-	-
S-856	6.000	SB	4856	C-55	4856	E-182
856	6.000	SB	4856	C-55	4856	E-182
SX-856	6.000	SB	4856	C-55	4856	E-182
X-857	6.000	SB	4857	C-55	4856	E-182
X-859	6.000	SB	4859	C-55	4859	E-182
IS-881	2.609	D	US-881	**	US-882	E-152
LXS-881	2.609	D	US-881	**	US-882	E-152
RO-881	2.609	D	US-881	**	US-882	E-152
US-881	2.609	D	US-882	**	US-882	E-152

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
IS-882	2.609	D	US-882	C-5	US-882	E-152
JS-882	2.609	D	US-882	C-5	US-882	E-152
LXS-882	2.609	D	US-882	C-5	US-882	E-152
RO-882	2.609	D	US-882	C-5	US-882	E-152
US-882	2.609	D	US-882	C-5	US-882	E-152
IS-886	2.609	RC	US-278R	C-20	87R	E-161
LXS-886	2.609	RC	US-278R	C-20	87R	E-161
RS-886	2.609	RC	US-278R	C-20	87R	E-161
SX-886	7.000	SB	US-7038	**	-	-
IS-887	2.609	RC	87R	C-20	87R	E-161
LXS-887	2.609	RC	87R	C-20	87R	E-161
RS-887	2.609	RC	87R	C-20	87R	E-161
SS-889	6.000	RC	603R	C-20	603R	E-166
896R	8.000	RC	896R	C-21	896R	E-169
911	9.000	RC	B-912R	C-21	B-912R	E-170
911C	9.000	RC	B-912R	C-21	B-912R	E-170
E-911	9.000	RC	B-912R	C-21	B-912R	E-170
IS-911	9.000	RC	B-912R	C-21	B-912R	E-170
SS-911	9.000	RC	B-912R	C-21	B-912R	E-170
A-912R	9.000	RC	B-912R	C-21	B-912R	E-170
B-912R	9.000	RC	B-912R	C-21	B-912R	E-170
E-912	9.000	RC	B-912R	C-21	B-912R	E-170
SS-912	9.000	RC	B-912R	C-21	B-912R	E-170
E-921	9.000	RC	B-912R	C-21	B-912R	E-170
922	9.000	RC	B-963R	C-21	B-963R	E-171
922C	9.000	RC	B-963R	C-21	B-963R	E-171
E-922	9.000	RC	D-963R	C-21	D-963R	E-171
F-922	9.000	RC	B-963R	C-21	B-963R	E-171
SS-922	9.000	RC	B-963R	C-21	B-963R	E-171
925R	9.000	RC	925R	C-21	925R	E-169
SS-927	9.000	RC	D-963R	C-21	D-963R	E-171
SS-928	9.000	RC	D-963R Special	**	-	-
F-929	9.000	RC	E-963R	C-21	E-963R	E-172
SS-929	9.000	RC	E-963R	C-21	E-963R	E-172
F-930	9.000	RC	B-963R	C-21	B-963R	E-172
SS-930	9.000	RC	B-963R	C-21	B-963R	E-171
932	9.000	RC	E-963R	C-21	E-963R	E-172
F-932	9.000	RC	E-963R	C-21	E-963R	E-172
SS-932	9.000	RC	E-963R	C-21	E-963R	E-172
933	9.000	RC	B-964R	C-21	B-964R	E-172
933C	9.000	RC	B-964R	C-21	B-964R	E-172
F-933	9.000	RC	B-964R	C-21	B-964R	E-172
SS-933	9.000	RC	B-964R	C-21	B-964R	E-172
F-940	9.000	RC	B-964R	C-21	B-964R	E-172
SS-940	9.000	RC	B-964R	C-21	B-964R	E-172
SS-945	6.000	RC	629R	C-20	629R	E-168
951	6.000	RC	626R	C-21	626R	E-168
S-951	6.000	RC	626R	C-21	626R	E-168
SS-951	6.000	RC	626R	C-21	626R	E-168
RS-958	9.000	RC	925R	C-21	925R	E-169
RS-958W	9.000	RC	925R	C-21	925R	E-169
SS-960	6.000	RC	2198RX	C-21	610R	E-167
961R	9.000	RC	961R	C-21	-	-
A-963R	9.000	RC	B-963R	C-21	B-963R	E-171
B-963R	9.000	RC	B-963R	C-21	B-963R	E-171
D-963R	9.000	RC	D-963R	C-21	D-963R	E-171
E-963R	9.000	RC	E-963R	C-21	E-963R	E-172
F-963R	9.000	RC	E-963R	C-21	E-963R	E-172

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
A-964R	9.000	RC	B-964R	C-21	B-964R	E-172
B-964R	9.000	RC	B-964R	C-21	B-964R	E-172
965R	9.000	RC	4009	C-21	4009	E-170
967R	9.000	RC	4004	C-21	4004	E-171
973R	9.000	RC	973R	C-21	973R	E-173
SS-996	6.000	RC	96RX	C-21	610R	E-167
998	9.031	R	998	C-62	998	E-195
S-998	9.031	R	S-998	C-64	998	E-195
1007	6.000	RC	96R	C-21	610R	E-167
1007D	6.000	RC	96R	C-21	610R	E-167
1007DP	6.000	RC	96RX	C-21	610R	E-167
1007P	6.000	RC	96RX	C-21	610R	E-167
1030	3.075	D	US-1030	C-5	US-3075	E-153
IS-1030	3.075	D	US-1030	C-5	US-3075	E-153
JS-1030	3.075	D	US-1030	C-5	US-3075	E-153
US-1030	3.075	D	US-1030	C-5	US-3075	E-153
IS-1031	3.075	D	US-1031	C-5	US-3075	E-153
JS-1031	3.075	D	US-1031	C-5	US-3075	E-153
LXS-1031	3.075	D	US-1031	C-5	US-3075	E-153
LXS-1031M	3.075	D	US-1031	C-5	US-3075	E-153
RO-1031	3.075	D	US-1031	C-5	US-3075	E-153
US-1031	3.075	D	US-1031	C-5	US-3075	E-153
1033	3.075	D	US-1031	C-5	US-3075	E-153
R-1033	3.075	D	US-1031	C-5	US-3075	E-153
SS-1033	3.075	D	US-1031	C-5	US-3075	E-153
1037	3.075	D	US-3075	C-5	US-3075	E-153
IS-1037	3.075	D	US-3075	C-5	US-3075	E-153
1041AA	2.500	D	US-2570	**	-	-
SS-1088	2.609	RC	81X	C-20	81X	E-160
1094	2.300	D	US-770	**	-	-
1094C	2.300	D	US-770	**	-	-
1095	12.000	RC	1272R	**	-	-
1113R	4.040	RC	1113R	C-20	DS-1113	E-165
SR-1113	4.040	RC	1113R	C-20	DS-1113	E-165
SS-1113	4.040	RC	1113R	C-20	DS-1113	E-165
SR-1114	6.000	RC	627R	C-20	627R	E-165
SS-1114	6.000	RC	627R	C-20	627R	E-165
SS-1116	6.000	RC	604R	C-20	627R	E-165
SS-1116CR	6.000	RC	DS-604R	**	627R	E-165
RR-1120	4.000	RC	95R	C-20	95R	E-163
S-1120	4.000	RC	95R	C-20	95R	E-163
SS-1120	4.000	RC	95R	C-20	95R	E-163
1126	6.000	RC	1126R	C-21	DS-6272	E-166
1126C	6.000	RC	1126RS	C-21	626R	E-168
1126R	6.000	RC	1126R	C-21	DS-6272	E-166
1126RS	6.000	RC	1126RS	C-21	626R	E-168
SS-1126	6.000	RC	1126R	C-21	DS-6272	E-166
SS-1126 1/2	6.000	RC	1126RS	C-21	626R	E-168
1131R	6.000	RC	1131R	C-21	629R	E-168
S-1131	6.000	RC	1131R	C-21	629R	E-168
SS-1131	6.000	RC	1131R	C-21	629R	E-168
S-1183	3.000	RC	53R	C-20	53R	E-161
SR-1183	3.000	RC	53R	C-20	53R	E-161

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
SS-1183	3.000	RC	53R	C-20	53R	E-161
1184R	2.640	D	1184RX	**	-	-
1184RX	2.640	D	1184RX	**	-	-
1188R	4.000	RC	1188R	C-20	91R	E-163
SS-1188	4.000	RC	1188R	C-20	91R	E-163
1190R	3.075	D	US-1030	C-5	US-3075	E-153
1190R3	3.075	D	US-1032	**	US-3075	E-153
1190RX	3.075	D	US-1031	C-5	US-3075	E-153
1190RXX	3.075	D	US-3075	C-5	US-3075	E-153
1190SXX	3.075	D	US-3075	C-5	US-3075	E-153
SS-1194	4.000	RC	US-90R	C-20	US-90R	E-164
S-1196	6.000	RC	US-196R	C-20	627R	E-165
SS-1196	6.000	RC	US-196R	C-20	627R	E-165
1202P	5.000	D	US-5031	C-5	US-5035	E-157
A-1202	5.000	D	US-5031	C-5	US-5035	E-157
SS-1202	5.000	D	US-5031	C-5	US-5035	E-157
SS-1202P	5.000	D	US-5031	C-5	US-5035	E-157
SS-1204P	5.000	D	US-5031	C-5	US-5035	E-157
XXXS-1205	5.000	D	US-5031	C-5	US-5035	E-157
1207	5.000	D	US-5031	C-5	US-5035	E-157
RO-1207	5.000	D	US-5031	C-5	US-5035	E-157
RX-1207	5.000	D	US-5031	C-5	US-5035	E-157
1211	12.000	RC	B-1212R	C-21	B-1212R	E-173
1211C	12.000	RC	B-1212R	C-21	B-1212R	E-173
1211P	12.000	RC	B-1212R	C-21	B-1212R	E-173
E-1211	12.000	RC	B-1212R	C-21	B-1212R	E-173
SS-1211	12.000	RC	B-1212R	C-21	B-1212R	E-173
1212	6.000	RC	628R	C-20	DS-6272	E-166
A-1212R	12.000	RC	B-1212R	C-21	B-1212R	E-173
B-1212R	12.000	RC	B-1212R	C-21	B-1212R	E-173
E-1212	12.000	RC	B-1212R	C-21	B-1212R	E-173
SS 1212	12.000	RC	B-1212R	C-21	B-1212R	E-173
1222	12.000	RC	B-1263R	C-21	B-1263R	E-174
1222C	12.000	RC	B-1263R	C-21	B-1263R	E-174
E-1222	12.000	RC	D-1263R	C-21	D-1263R	E-174
F-1222	12.000	RC	B-1263R	C-21	B-1263R	E-174
SS-1222	12.000	RC	B-1263R	C-21	B-1263R	E-174
SS-1227	12.000	RC	D-1263R	C-21	D-1263R	E-174
SS-1230	12.000	RC	B-1263R	C-21	B-1263R	E-174
F-1232	12.000	RC	E-1263R	C-21	E-1263R	E-175
RS-1232	12.000	RC	E-1263R	C-21	E-1263R	E-175
SS-1232	12.000	RC	E-1263R	C-21	E-1263R	E-175
1233	12.000	RC	B-1264R	C-21	B-1264R	E-175
1233C	12.000	RC	B-1264R	C-21	B-1264R	E-175
F-1233	12.000	RC	B-1264R	C-21	B-1264R	E-175
RS-1233	12.000	RC	B-1264R	C-21	B-1264R	E-175
SS-1233	12.000	RC	B-1264R	C-21	B-1264R	E-175
SS-1236	12.000	RC	1272R	**	-	-
SS-1240	12.000	RC	B-1264R	C-21	B-1264R	E-175
XXS-1240	4.063	D	US-1242	C-5	US-1242	E-155
1240RXX	4.063	D	US-1242	C-5	US-1242	E-155
1240	4.063	D	US-1242	C-5	US-1242	E-155
LXS-1241M	4.063	D	US-1241	C-5	US-1242	E-155
US-1241	4.063	D	US-1241	C-5	US-1242	E-155
IS-1242	4.063	D	US-1242	C-5	US-1242	E-155
LXS-1242M	4.063	D	US-1242	C-5	US-1242	E-155
LXS-1242	4.063	D	US-1242	C-5	US-1242	E-155
RO-1242	4.063	D	US-1242	C-5	US-1242	E-155

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
US-1242	4.063	D	US-1242	C-5	US-1242	E-155
F-1244	12.000	RC	1273R	C-21	1273R	E-175
SS-1244	12.000	RC	1273R	C-21	1273R	E-175
1244	12.000	RC	1273R	C-21	-	-
1244	4.063	D	US-1242	C-5	US-1242	E-155
1245SXX	4.073	D	US-1245	C-5	US-1245	E-155
B-1245	4.073	D	US-1245	C-5	US-1245	E-155
IS-1245	4.073	D	US-1245	C-5	US-1245	E-155
J-1245A	4.073	D	US-1245	C-5	US-1245	E-155
LXS-1245	4.073	D	US-1245	C-5	US-1245	E-155
RO-1245	4.073	D	US-1245	C-5	US-1245	E-155
RX-1245	4.073	D	US-1245	C-5	US-1245	E-155
US-1245	4.073	D	US-1245	C-5	US-1245	E-155
XXS-1245	4.073	D	US-1245	C-5	US-1245	E-155
R-1248	4.063	D	US-1242	C-5	US-1242	E-155
1251	12.000	RC	DWG, 14419	**	-	-
1258	6.000	RC	625R	C-20	625R	E-167
A-1263R	12.000	RC	B-1263R	C-21	B-1263R	E-174
B-1263R	12.000	RC	B-1263R	C-21	B-1263R	E-174
D-1263R	12.000	RC	D-1263R	C-21	D-1263R	E-174
E-1263R	12.000	RC	E-1263R	C-21	E-1263R	E-175
A-1264R	12.000	RC	B-1264R	C-21	B-1264R	E-175
B-1264R	12.000	RC	B-1264R	C-21	B-1264R	E-175
1265R	12.000	RC	1265R	C-21	1265R	E-173
B-1266R	12.000	RC	B-1266R	C-21	B-1266R	E-174
1267	12.000	RC	1276R	C-21	-	-
1271R	12.000	RC	1271R	C-21	1273R	E-175
1272R	12.000	RC	1272R	**	E-1263R	E-175
1273	12.000	RC	B-1266R	C-21	B-1266R	E-174
1273R	12.000	RC	1273R	C-21	-	-
1276R	12.000	RC	1276R	C-21	-	-
1288	2.609	RC	81X	C-20	81X	E-160
1297	4.040	RC	1113R	C-20	DS-1113	E-165
R-1305	3.075	D	US-1032	**	US-3075	E-153
A-1306	6.000	D	US-6042	C-5	US-6042	E-158
RO-1306	6.000	D	US-6042	C-5	US-6042	E-158
RO-1307	7.000	D	US-7060	**	-	-
A-1309	7.000	D	US-7080	C-5	US-7080	E-158
X-1311	6.500	D	US-6560	**	-	-
1322	12.000	RC	D-1263R	C-21	D-1263R	E-174
1322C	12.000	RC	D-1263R	C-21	D-1263R	E-174
SS-1326	6.000	RC	DWG, 20463	**	-	-
1338	8.000	RC	DWG 17758	**	-	-
RO-1343	4.090	D	US-4121	C-5	-	-
X-1343	4.090	D	US-4121	C-5	-	-
X-1345	4.090	D	US-4122	C-5	US-4122	E-156
1347	4.063	D	US-1242	C-5	US-1242	E-155
US-1353	4.090	D	US-1353	C-5	-	-
X-1353	4.090	D	US-1353	C-5	-	-
1378	1.654	RC	378R	C-20	378RX	E-159
1510RXX	5.000	D	US-5031	C-5	US-5035	E-157
RS-1513	3.075	RC	119R	C-20	119RX	E-162
1520	4.000	RC	95R	C-20	95R	E-163
1520C	4.000	RC	95R	C-20	95R	E-163
153500	3.075	SB	30702	C-106	-	-
1536M6	3.075	RC	30701	C-104	-	-
1539	3.075	RC	119R	C-20	119RX	E-162
1568	3.067	D	US-3011	C-5	US-3011	E-153

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
AX-1568	3.065	D	US-3011	C-5	US-3011	E-153
1578	2.609	RC	-	-	81X	E-160
1583	3.000	RC	53R	C-20	53R	E-161
1583C	3.000	RC	53R	C-20	53R	E-161
1588	4.000	RC	1188R	C-20	91 R	E-163
1589	4.000	RC	DWG. 14382	**	89R	E-164
1594	4.000	RC	US-90R	C-20	US-90R	E-164
1601A	5.750	D	US-5738	C-5	-	-
1602A	5.000	D	US-5031	C-5	US-5035	E-157
1602AA	5.000	D	US-5031	C-5	US-5035	E-157
RO-1602AA	5.000	D	US-5031	C-5	US-5035	E-157
1604R	6.000	RC	1604R	**	-	-
1605AAA	5.000	D	US-5035	C-5	US-5035	E-157
1606	6.000	RC	603R	C-20	603 R	E-166
1606AA	6.000	D	US-6042	C-5	US-6042	E-168
1607AA	7.000	D	US-7060	**	-	-
1613A	2.000	D	US-2065	C-5	-	-
RO1613AK	2.000	D	US-2065	C-5	-	-
1616A	3.500	D	US-3514	C-5	US-3514	E-154
RO-1616	3.500	D	US-3514	C-5	US-3514	E-154
1617	6.000	RC	CC5	C-21	CC5	E-167
1625A	2.500	D	US-64S	C-5	US-64S	E-151
1626A	6.000	D	US-6042	C-5	US-6042	E-158
1627B	2.500	D	US-64S	C-5	US-64S	E-151
1630A	3.000	D	344SXX	C-5	344SXX	E-152
1630R	6.000	RC	1630R	C-21	CC5	E-167
1640A	3.075	D	US-1032	**	US-3075	E-153
1641AA	2.500	D	US-2570	**	-	-
1645A	4.073	D	US-1245	C-5	US-1245	E-155
1645AB	4.073	D	US-1245	C-5	US-1245	E-155
1702	6.000	RC	628R	C-20	DS-6272	E-166
1706	6.000	RC	614R	C-21	CC5	E-167
1706R	12.000	RC	1706R	-	-	-
RO-1706	3.075	D	DWG. 16750	**	-	-
1709	9.000	RC	925R	C-21	925R	E-169
1721	4.000	RC	94R	C-20	94R	E-162
1734	6.000	RC	1131R	C-21	629R	E-168
1743	12.000	RC	B-1266R	C-21	B-1266R	E-174
1743 1/2	12.000	RC	B-1266R	C-21	B-1266R	E-174
1751	9.000	RC	D-963R	C-21	D-963R	E-171
1751C	9.000	RC	D-963R	C-21	D-963R	E-171
SS-1769	6.000	RC	2178RX	C-21	610R	E-167
1796	6.000	RC	US-196R	C-20	627R	E-165
SS-1796	6.000	RC	2178RX	C-21	610R	E-167
1803AB	3.067	D	US-3011	C-5	US-3011	E-153
1807	6.000	RC	2198RX	C-21	610R	E-167
1822	18.000	RC	B-1863R	C-21	B-1863R	E-176
1822C	18.000	RC	B-1863R	C-21	B-1863R	E-176
E-1822	18.000	RC	D-1863R	C-21	D-1863R	E-176
F-1822	18.000	RC	B-1863R	C-21	B-1863R	E-176
SS-1822	18.000	RC	B-1863R	C-21	B-1863R	E-176
1823	6.000	RC	634R	**	627R	E-165
SS-1827	18.000	RC	D-1863R	C-21	D-1863R	E-176
1829	6.000	RC	604R	C-20	627R	E-165
F-1830	18.000	RC	B-1863R	C-21	B-1863R	E-176
SS-1830	18.000	RC	B-1863R	C-21	B-1863R	E-176
1831	18.000	RC	D-1863R	C-21	D-1863R	E-176
1832	18.000	RC	F-1863R	C-21	E-1863R	E-176
F-1832	18.000	RC	F-1863R	C-21	E-1863R	E-176

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
SS-1832	18.000	RC	F-1863R	C-21	E-1863R	E-176
1833	18.000	RC	B-1864R	C-21	B-1864R	E-177
1833C	18.000	RC	B-1864R	C-21	B-1864R	E-177
F-1833	18.000	RC	B-1864R	C-21	B-1864R	E-177
SS-1833	18.000	RC	B-1864R	C-21	B-1864R	E-177
SS-1840	18.000	RC	B-1864R	C-21	B-1864R	E-177
1844	18.000	RC	1873R	C-21	1873R	E-177
F-1844	18.000	RC	1873R	C-21	1873R	E-177
SS-1844	18.000	RC	1873R	C-21	1873R	E-177
1855	18.000	RC	1866R	C-21	1866R	E-177
F-1855	18.000	RC	1866R	C-21	1866R	E-177
SS-1855	18.000	RC	1866R	C-21	1866R	E-177
1862	1.654	RC	378R	C-20	378RX	E-159
1862C	1.654	RC	378R	C-20	378RX	E-159
A-1863R	18.000	RC	B-1863R	C-21	B-1863R	E-176
B-1863R	18.000	RC	B-1863R	C-21	B-1863R	E-176
D-1863R	18.000	RC	D-1863R	C-21	D-1863R	E-176
E-1863R	18.000	RC	F-1863R	C-21	E-1863R	E-176
F-1863R	18.000	RC	F-1863R	C-21	E-1863R	E-176
A-1864R	18.000	RC	B-1864R	C-21	B-1864R	E-177
B-1864R	18.000	RC	B-1864R	C-21	B-1864R	E-177
G-1864R	18.000	RC	G-1864R	C-21	G-1864R	E-177
1866	18.000	RC	1867R	C-21	1866R	E-177
1866R	18.000	RC	1866R	C-21	1866R	E-177
F-1866	18.000	RC	1867R	C-21	1866R	E-177
SS-1866	18.000	RC	1867R	C-21	1866R	E-177
1867R	18.000	RC	1867R	C-21	1866R	E-177
1871R	18.000	RC	1871R	C-21	1873R	E-177
1873R	18.000	RC	1873R	C-21	1873R	E-177
1906	6.000	RC	631R	C-21	626R	E-168
1972BM5	2.609	RC	26001	C-104		-
RO-2010	2.500	D	US-2570	**		-
LXS-2055	2.000	D	US-2065	C-5		-
IS-2065	2.000	D	US-2065	C-5		-
IS-2065S	2.000	D	US-2065	C-5		-
LXS-2065	2.000	D	US-2065	C-5		-
US-2065	2.000	D	US-2065	C-5		-
SS-2066	4.000	RC	82R	**	US-90R	E-164
2102	4.000	RC	US-3433	**		-
2111	6.000	RC	**	**		-
B-2111	6.000	RC	**	**		-
RO-2113	4.040	RC	2113R	**	DS-1113	E-165
SS-2113	4.040	RC	2113R	**	DS-1113	E-165
SS-2115	6.000	RC	602 R	**		-
2124	6.000	RC	96R	C-21	610R	E-167
A-2124	6.000	RC	96RX	C-21	610R	E-167
2126	6.000	RC	604R	C-20	627R	E-165
2130R	6.000	RC	2130R	C-21	CC5	E-167
2146	6.000	RC	U-3940	C-78	U-3940	E-193
S-2174	4.000	RC	U-3952	C-78	U-3952	E-192
2178A	6.000	RC	2178RX	C-21	610R	E-167
2178R	6.000	RC	2178R	**	610R	E-167
2178RX	6.000	RC	2178RX	C-21	610R	E-167
A-2178	6.000	RC	2178RX	C-21	610R	E-167
RF-2178	6.000	RC	2198RX	C-21	610R	E-167
2180	6.000	RC	628R	C-20	DS-6272	E-166
SS-2180	6.000	RC	628R	C-20	DS-6272	E-166
2183	6.000	RC	629R	C-20	629R	E-168

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
F-2183	6.000	RC	629R Special	**	625R	E-167
2184	6.000	RC	2184R	C-21	629R	E-168
2184P	6.000	RC	2184RX	C-21	629R	E-168
2184R	6.000	RC	2184R	C-21	629R	E-168
2184RX	6.000	RC	2184RX	C-21	629R	E-168
A-2184	6.000	RC	2184RX	C-21	629R	E-168
SS-2184P	6.000	RC	2184R	C-21	629R	E-168
SS-2184	6.000	RC	2184R	C-21	629R	E-168
2190	6.000	RC	607R	C-20	CC5	E-167
2190P	6.000	RC	607R	C-20	CC5	E-167
SS-2190	6.000	RC	607R	C-20	CC5	E-167
2198A	6.000	RC	2198RX	C-21	610R	E-167
2198RX	6.000	RC	2198RX	C-21	610R	E-167
A-2198	6.000	RC	2198RX	C-21	610R	E-167
2268	4.083	RC	US-2858	**	-	-
2348	12.000	RC	B-1264R	C-21	B-1264R	E-175
R-2362	1.654	D	US-620X	**	378RX	E-159
2397R	12.000	RC	2397R	-	-	-
2507	18.000	RC	1871R	C-21	1873R	E-177
RO-2512	3.067	D	US-3011	C-5	US-3011	E-153
LXS-2560	2.500	D	US-2570	**	-	-
US-2560	2.500	D	US-2570	**	-	-
IS-2570	2.500	D	US-2570	**	-	-
IS-2570A	2.500	D	US-2570	**	-	-
LXS-2570	2.500	D	US-2570	**	-	-
US-2570	2.500	D	US-2570	**	-	-
LXS-2585	2.500	D	RO-1625	**	US-64S	E-151
2614R	12.000	RC	2614R	-	-	-
C-2614	12.000	RC	2614R	-	-	-
ISS-2625	2.563	D	520RX	C-5	-	-
2800	8.000	RC	800RX	C-21	800RX	E-169
2800PB	8.000	RC	800RX	C-21	800RX	E-169
A-2800	8.000	RC	800RX	C-21	800RX	E-169
RO-2814	3.500	D	US-3514	C-5	US-3514	E-154
SS-2857	6.000	SB	4857	C-55	4856	E-182
US-2858	4.083	RC	US-2858	**	-	-
SS-2859	6.000	SB	4859	C-55	4859	E-183
SS-2864	7.000	SB	4864	C-55	4864	E-183
2995	4.250	D	X-3808	**	-	-
IS-3010	3.067	D	US-3011	C-5	US-3011	E-153
IS-3011	3.067	D	US-3011	C-5	US-3011	E-153
LXS-3011	3.067	D	US-3011	C-5	US-3011	E-153
RO-3011	3.067	D	US-3011	C-5	US-3011	E-153
US-3011	3.067	D	US-3011	C-5	US-3011	E-153
LXS-3013	3.000	RC	53R	C-20	53R	E-161
RS-3013	3.000	RC	53R	C-20	53R	E-161
XS-3013D6	3.000	RC	DWG. 17175	**	-	-
3067X	3.067	D	US-3011	C-5	US-3011	E-153
IS-3075	3.075	D	US-3075	C-5	US-3075	E-153
JS-3075	3.075	D	US-3075	C-5	US-3075	E-153
US-3075	3.075	D	US-3075	C-5	US-3075	E-153
3113	2.000	D	US-2065	C-5	-	-
B-3113	2.000	D	US-2065	C-5	-	-
3125	3.125	D	3125R	**	-	-

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
3125HY	3.125	D	3125R	**	-	-
3125HY2	3.125	D	D-3125R	**	-	-
3125HY3	3.125	D	1-3125R	**	-	-
3125R	3.125	D	3125R	**	-	-
D-3125	3.125	D	D-3125R	**	-	-
D-3125R	3.125	D	D-3125R	**	-	-
RO-3125	3.125	D	RO-3125	**	-	-
SS-3125HY	3.125	D	3125R	**	-	-
SS-3125	3.125	D	3125R	**	-	-
T-3125	3.125	D	T-3125R	**	-	-
T-3125R	3.125	U	T-3125R	**	-	-
RO-3140	1.750	D	RO-3140	C-5	-	-
3146	3.075	SB	30703	C-104	131	E-180
RO-3160	2.000	D	RO-3160	**	-	-
RO-3180	2.250	D	RO-3180	C-5	-	-
RO-3200	2.500	D	RO-1625	**	US-64S	E-151
RO-3315	4.073	D	US-1245	C-5	US-1245	E-151
3420	4.040	RC	1113R	C-20	DS-1113	E-155
3433	4.000	RC	3433	-	-	-
DF-3498	1.75 X 2.5	BP	DF-3498	C-72	DF-3498	E-178
DF-3500	2.5 X 3.0	BP	DF-3500	C-72	DF-3500	E-178
IS-3514	3.500	D	US-3514	C-5	US-3514	E-154
JS-3514	3.500	D	US-3514	C-5	US-3514	E-154
LXS-3514	3.500	D	US-3514	C-5	US-3514	E-154
US-3514	3.500	D	US-3514	C-5	US-3514	E-154
RO-3618	4.500	D	US-4522	C-5	US-4522	E-156
X-3808	4.250	D	X-3808	**	-	-
DF-3910	3.0 X 3.0	BP	DF-3910	C-72	DF-3910	E-178
U-3940	6.000	RC	U-3940	C-78	U-3940	E-193
U-3945	4.000	RC	U-3945	C-78	U-3945	E-192
U-3952	4.000	RC	U-3952	C-78	U-3952	E-192
US-3957	4.000	RC	US-3957	**	-	-
S-4000	4.000	RC	94R	C-20	94R	E-162
4002	9.000	RC	809R	**	B-963R	E-171
SS-4002	9.000	RC	809R	**	B-963R	E-171
4004	9.000	RC	4004	C-21	4004	E-171
X-4004	9.000	RC	4004	C-21	4004	E-171
4009	9.000	RC	4009	C-21	4009	E-170
LXS-4013	4.000	RC	95R	C-20	95R	E-163
RS-4013	4.000	RC	95R	C-20	95R	E-163
JS-4014	4.063	D	US-1242	C-5	US-1242	E-155
LXS-4019	4.000	RC	94R	C-20	94R	E-162
RS-4019	4.000	RC	94R	C-20	94R	E-162
RO-4020	5.000	D	US-5031	C-5	US-5035	E-157
4023	18.000	RC	1871R	C-21	1873R	E-177
SS-4023	18.000	RC	1871R	C-21	1873R	E-177
US-4028	4.000	D	US-4031	C-5	-	-
US-4031	4.000	U	US-4031	C-5	-	-
4038	12.000	RC	B-1266R	C-21	B-1266R	E-174
SS-4038	12.000	RC	B-1266R	C-21	B-1266R	E-174
SS-4043	12.000	RC	B-1266R	C-21	B-1266R	E-174
4065	9.000	RC	4065	C-21	4065	E-172
JS-4106	4.063	D	US-1242	C-5	US-1242	E-155
JS-4110	4.063	D	US-1241	C-5	US-1242	E-155
LXS-4113	4.000	RC	1188R	C-20	91R	E-163
RS-4113	4.000	RC	1188R	C-20	91R	E-163
LXS-4119	4.000	RC	97R	C-20	97R	E-163
RS-4119	4.000	RC	97R	C-20	97R	E-163

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.

# Universal Product Cross-Reference



Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
US-4121	4.090	D	US-4121	C-5		-
US-4122	4.090	D	US-4122	C-5	US-4122	E-156
RO-4214	4.000	D	DWG. 16751	**		-
IS-4216	4.000	RC	US-90R	C-20	US-90R	E-164
LXS-4216	4.000	RC	US-90R	C-20	US-90R	E-164
RS-4216	4.000	RC	US-90R	C-20	US-90R	E-164
RS-4238	4.000	RC	89R	C-20	89R	E-164
LXS-4328	4.000	RC	89R	C-20	89R	E-164
LXS-4328G19	4.000	RC	DWG. 21758	**	89R	E-164
RS-4328	4.000	RC	89R	C-20	89R	E-164
IS-4522	4.500	D	US-4522	C-5	US-4522	E-156
US-4522	4.500	D	US-4522	C-5	US-4522	E-156
RO-4824	6.000	D	US-6042	C-5	US-6042	E-158
SS-4850	12.000	RC	1265R	C-21	1265R	E-173
4851	9.000	RC	4009	C-21	4009	E-170
SS-4851	9.000	RC	4009	C-21	4009	E-170
4852	9.000	RC	4004	C-21	4004	E-171
SS-4852	9.000	RC	4004	C-21	4004	E-171
4856	6.000	SB	4856	C-55	4856	E-182
4857	6.000	SB	4857	C-55	4856	E-182
4859	6.000	SB	4859	C-55	4859	E-183
4864	7.000	SB	4864	C-55	4864	E-183
IS-5022	5.000	D	US-5031	C-5	US-5035	E-157
LXS-5022	5.000	D	US-5031	C-5	US-5035	E-157
US-5022	5.000	D	US-5031	C-5	US-5035	E-157
IS-5028	5.000	D	US-5031	C-5	US-5035	E-157
LXS-5028	5.000	D	US-5031	C-5	US-5035	E-157
US-5028A	5.000	D	US-5031	C-5	US-5035	E-157
US-5028N	5.000	D	US-5031	C-5	US-5035	E-157
US-5028	5.000	D	US-5031	C-5	US-5035	E-157
IS-5031	5.000	D	US-5031	C-5	US-5035	E-157
US-5031	5.000	D	US-5031	C-5	US-5035	E-157
US-5035	5.000	D	US-5035	C-5	US-5035	E-157
US-5042	5.000	D	US-5042	C-5	US-5042	E-157
5208	6.000	RC	DWG. 18708	**		-
5520	2.563	D	520RX	C-5		-
US-5542	5.500	D	US-5542	C-5	US-5542	E-158
5602	6.000	RC	DS-196R	C-94	627R	E-165
US-5738	5.750	D	US-5738	C-5		-
IS-6018	6.000	RC	US-196R	C-20	627R	E-165
LXS-6018	6.000	RC	US-196R	C-20	627R	E-165
RS-6018	6.000	RC	US-196R	C-20	627R	E-165
RS-6018CR	6.000	RC	DS-196R	C-94	627R	E-165
IS-6022	6.000	RC	607R	C-20	CC5	E-167
IS-6040	6.000	D	US-6042	C-5	US-6042	E-158
US-6040	6.000	D	US-6042	C-5	US-6042	E-158
IS-6042	6.000	D	US-6042	C-5	US-6042	E-158
JS-6042	6.000	D	US-6042	C-5	US-6042	E-158
US-6042	6.000	D	US-6042	C-5	US-6042	E-158
6053R	6.000	RC	6053R	C-20	6053R	E-165
US-6066	6.000	D	US-6066	C-5	US-6042	E-158
6101	6.000	RC	631R	C-21	627R	E-165
6102B	4.000	SB	102B	C-55	102B	E-181
6102BM	4.000	SB	102B	C-55	102B	E-181
6102 1/2	4.040	SB	102 1/2	C-55	102 1/2	E-181
6110	6.000	SB	110	C-55	110	E-182
6110BM	6.000	SB	110	C-55	110	E-182
6111	4.760	SB	111	C-55	111	E-182

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.



# Universal Product Cross-Reference

Chain Number	Pitch	Style*	Tsubaki Chain Number	Chain Page Number	Tsubaki Sprocket Number	Sprocket Page Number
6111 M	4.760	SB	111	C-55	111	E-182
6111SP	4.76 X 7.24	SB	111SP	C-55		-
6131	3.075	SB	131	C-55	131	E-180
6150DM	6.050	SB	150X	C-55	150X	E-183
6150P	6.050	SB	150X	C-55	150X	E-183
6188	2.609	SB	188	C-55	188	E-179
6188M	2.609	SB	188	C-55	188	E-179
LXS-6238	6.000	RC	614R	C-21	CC5	E-167
RS-6238	6.000	RC	614R	C-21	CC5	E-167
DS-6272	6.000	RC	DS-6272	C-94	DS-6272	E-166
LXS-6438	6.000	RC	631R	C-21	626R	E-168
RS-6438	6.000	RC	631R	C-21	626R	E-168
US-6560	6.500	D	US-6560	**		-
US-6566	6.500	D	US-6566	C-55		-
6825	4.000	SB	825	**		-
6826	6.000	SB	6826	C-107		-
6830	6.000	SB	830	**		-
6850	6.000	SB	US-850	**		-
6856	6.000	SB	4856	C-55	4856	E-182
6864	7.000	SB	4864	C-55	4864	E-183
6867	6.000	SB	4857	C-55	4856	E-182
6869	6.000	SB	4859	C-55	4859	E-183
JS-7055	7.000	D	US-7060	**		-
IS-7060	7.000	D	US-7060	**		-
US-7060	7.000	D	US-7060	**		-
US-7080	7.000	D	US-7080	C-55	US-7080	E-158
7601	2.800	SB	DWG. 20003	**		-
7602	2.609	SB	DWG. 16109	**		-
7774MO6	2.609	RC	26001	C-104		-
9063RXX	6.000	RC	9063RXX	-		-
U-9856	6.000	RC	U-9856	C-78	U-9856	E-193
12001	12.000	RC	12001	C-90		-
12002	12.000	RC	12002	C-90		-
12003	12.000	RC	12003	C-90		-
20001	2.000	SB	20001	-		-
20002	2.000	RC	20002	C-95		-
26001	2.609	RC	26001	C-104		-
27001	12 X 15	BP	27001	C-91		-
30701	3.075	RC	30701	C-104	US-3075	E-153
30702	3.075	SB	30702	C-106	131	E-180
30703	3.075	SB	30703	C-104	131	E-180
40001	4.000	RC	40001	C-81	US-90R	E-164
40002	4.000	RC	40002	C-81		-
40003	4.000	RC	40003	C-81		-
41001	4.100	WS	41001	C-103		-
42501	4.250	RC	42501	C-81		-
50001	5.000	RC	50001	C-20		-
52501	5.250	RC	52501	C-81		-
52502	5.250	RC	52502	C-81		-
60001	6.000	RC	60001	C-21		-
60002	6.000	RC	60002	C-81	625R	E-167
60175	6.000	RC	60175	-		-
80002	8.000	RC	80002	C-96		-
80003	8.000	RC	80003	C-96		-
90001	9.000	RC	90001	C-96		-
90002	9.000	RC	90002	C-96		-
90003	9.000	RC	90003	C-90		-
90004	9.000	RC	90004	C-90	925R	E-169

\*Style abbreviations: D = Drive chain; RC = Roller chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain, BP = Bar and pin chain.

\*\*Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact Tsubaki for more information.